1	What is	10%	of 16%	of 3200?

(A) 48.8

(B) 51.2

(C) 2419.2

(D) 62.4

(E) NOTA

2. Solve for x:
$$3x + 2 - 9 - 6x = 9x - (2x + 1) + 6$$

(A) $-\frac{6}{5}$ (B) $-\frac{11}{10}$ (C) -1 (D) $-\frac{9}{10}$ (E) NOTA

3. If
$$\frac{x}{y} = \frac{4}{7}$$
 and $\frac{y}{z} = \frac{14}{3}$, evaluate $\frac{x+z}{z}$.

(A) $\frac{8}{3}$ (B) $\frac{55}{49}$ (C) $\frac{11}{3}$ (D) $\frac{6}{49}$

(E) NOTA

4. Line *l* intersects sides *AB* and *CD* of rhombus ABCD at *E* and *F*, respectively. Given $\angle AEF = 83^{\circ}$, determine the measure of $\angle EFC$.

(A) 97°

(B) 7°

(C) 83°

(D) 106°

(E) NOTA

5. Find the smallest natural number evenly divisible by 42, 175, and 392.

(A) 210

(B) 13720

(C) 29400

(D) 68600

(E) NOTA

6. Evaluate: $1 + \frac{1}{2 + \frac{1}{3 + \frac{1}{4}}}$

(A) $\frac{8}{5}$ (B) $\frac{43}{30}$ (C) $\frac{23}{7}$ (D) $\frac{25}{21}$ (E) NOTA

7. What is the diameter of a circle whose area is 49π ?

(A) $\frac{7}{\sqrt{2}}$ (B) 7 (C) 14 (D) $7\sqrt{2}$

(E) NOTA

8. Compute the value of $\frac{16x^7y^9}{24xy^3} \div \frac{8x^6y^6}{9x^2y^2}$ when x = 3 and y = 4.

(A) $3^7 \cdot 2^{24}$ (B) 27 (C) $85.\overline{3}$

(D) 108

(E) NOTA

9.	In the realm of celebrity dining, it is considered polite to give the waiter a tip worth 12% of the cost of the meal. If an actress leaves a \$432 tip, how much did the meal cost?						
	(A) \$3200	(B) \$3400	(C) \$3600	(D) \$3800	(E) NOTA		
10.	Which of the follo	owing is a number t	that, when added to	its reciprocal, pro	duces $\frac{10}{3}$?		
	(A) 2	(B) 3	(C) 4	(D) 5	(E) NOTA		
11.	1. Due to a slanted ceiling, the vertical wall at one end of an attic has the shape of a trapezoid with two vertical sides perpendicular to the horizontal floor. The wall is 8 ft. high at one end, 10 ft. wide, and only 3 ft. high at the other end. How many square feet of wallpaper would be needed to cover this wall?						
	(A) 240 ft ²	(B) 120 ft ²	(C) 110 ft ²	(D) 55 ft ²	(E) NOTA		
12.	What is the prime	factorization of 52	.92?				
	(A) $2^2 \cdot 3^2 \cdot 7^3$	(B) $2^2 \cdot 3^3 \cdot 7^2$	(C) $2^3 \cdot 3^2 \cdot 7$	(D) $2^3 \cdot 3^2 \cdot 7^2$	(E) NOTA		
13.	13. The arithmetic mean of <i>a</i> and <i>b</i> is 8 while the arithmetic mean of <i>c</i> and <i>d</i> is 44. What is the arithmetic mean of <i>a</i> , <i>b</i> , <i>c</i> , and <i>d</i> ?						
	(A) 7.5	(B) 13	(C) 26	(D) 52	(E) NOTA		
14. Find the solution set for x : $3x - 2 \le -8x + 7$							
	$(A) x \le \frac{8}{5}$	(B) $x \le -\frac{5}{11}$	(C) $x \ge -\frac{9}{5}$	(D) $x \le \frac{9}{11}$	(E) NOTA		
15. How many counting numbers less than 56998 are multiples of 3 or 2?							
	(A) 56997	(B) 20898	(C) 47498	(D) 37998	(E) NOTA		
16. Find the mode of the following data set: 5, -3, 7, 14, 5, 8, 2, -4, 6, 5, 6, 19							
	(A) 5	(B) 23	(C) 5.5	(D) $\frac{35}{6}$	(E) NOTA		

17. Since Richard's newly purchased home was so large, the seller provided him with a map

	where $1\frac{1}{2}$ inches represents 25 feet. If two bathrooms are $6\frac{3}{8}$ inches apart on the map, how far apart are the bathrooms?						
	(A) 103.125 ft	(B) 100 ft	(C) 105.5 ft	(D) 106.25 ft	(E) NOTA		
18.	8. What is the perimeter of a rectangle with area 252 and width 12?						
	(A) 34	(B) 66	(C) 33	(D) 68	(E) NOTA		
19.	The line with equa	ation $y = 2x + 6$ ne	ver passes through	which quadrant?			
	(A) IV	(B) III	(C) II	(D) I	(E) NOTA		
20.	How many diagon	nals can be drawn i	in a 23-sided polyg	on?			
	(A) 153	(B) 253	(C) 161	(D) 230	(E) NOTA		
21.	Simplify: $\frac{1 - \frac{a}{b}}{\frac{b}{a} - 1}$						
	(A) -1	(B) $\frac{a}{b}$	(C) 1	(D) $\frac{b}{a}$	(E) NOTA		
22.	2. The Fibonacci numbers are defined as follows: The first two numbers of the sequence are 1 and from the third term onward, each term is the sum of the previous two terms. If the 55^{th} Fibonacci number is x and the 56^{th} Fibonacci number is y , which of the following is an expression for the 51^{st} Fibonacci number in terms of x and y ?						
	(A) $5y - 2x$	(B) $3y - 5x$	(C) $2y-3x$	(D) $5x - 3y$	(E) NOTA		
23.	Find the equation	of the line passing	through (3, 6) and	(8, -1) in slope-int	ercept form.		

(B) $y = \frac{7}{5}x + \frac{61}{5}$

(D) 5y - 7x = -27

(E) NOTA

(A) 5y + 7x = 57

(C) $y = -\frac{7}{5}x + \frac{51}{5}$

24. The diagonals of a rhombus are 16 and 30. What is its perimeter?

	(A) 68	(B) 100	(C) 40	(D) 52	(E) NOTA			
25.	25. Solve for x : $10x^2 - 23x - 42 = 0$							
	(A) $\frac{7}{5}$, -3	(B) -1.3, 3.1	(C) $-\frac{6}{5}, \frac{7}{2}$	(D) 2.3, -4.2	(E) NOTA			
26.	26. In $\triangle ABC$, AD is drawn to BC , splitting it in a ratio of $\frac{BD}{DC} = \frac{3}{5}$. What is the ratio of the area							
	of $\triangle ABD$ to $\triangle AB$ (A) 3:8	(B) 3:5	(C) 5:8	(D) 2:3	(E) NOTA			
27.	What are the first	five terms of the so	equence explicitly	given by $a_n = 2n^2$	-3 for $n \ge 1$?			
	(A) -1, 5, 15, 29, (C) -3, -1, 1, 3, 5	47	(B) -3, -1, 5, 15, (D) -1, 1, 3, 5, 7	29	(E) NOTA			
28.	28. The sum of two numbers is 52. If the larger is divided by the smaller, the resulting quotient is 9 with a remainder of 2. What is the smaller number?							
	(A) 8	(B) 7	(C) 6	(D) 5	(E) NOTA			
29.	For real numbers	a and b , define $a \otimes$	$b = \frac{ab}{\sqrt{a^2 + b^2}} \cdot F$	ind the value of (3	\otimes 4) + (6 \otimes 8).			
	(A) $\frac{24}{5}$	(B) $\frac{7}{12}$	(C) $\frac{7}{24}$	(D) $\frac{12}{5}$	(E) NOTA			
30.	Simplify: $\frac{6a^2 - 7}{10a - 1}$	$\frac{a+2}{5a^2}$						
	$(A) \ \frac{2a+1}{5-3a}$	(B) $\frac{1}{3a-1}$	(C) $\frac{3a+1}{2a}$	(D) $\frac{1-2a}{5a}$	(E) NOTA			
31.	What is the <u>total</u> sheight of 4 inches	•	ght circular cylinde	er with base radius	of 3 inches and a			
	(A) $28\pi \text{in}^2$	(B) $30\pi \text{in}^2$	(C) $36\pi \text{in}^2$	(D) $42\pi \text{in}^2$	(E) NOTA			

- 32. If $k = \frac{1}{x^2}$, express $\frac{3}{k} k^2$ in terms of x.

- (A) $3x^4 x^2$ (B) $3x^2 x^4$ (C) $\frac{3x^6 1}{x^4}$ (D) $\frac{3 x^6}{x^2}$
- (E) NOTA
- 33. When multiplied out, how many consecutive zeroes appear at the end of $7 \times 3 \times 2 \times 5 \times 11 \times 2 \times 5 \times 5 \times 13 \times 2 \times 2 \times 5$?
 - (A) 5
- (B) 4
- (C) 3
- (D) 2
- (E) NOTA

- 34. Simplify: $(1 \sqrt{3})^3$
 - (A) $10-6\sqrt{3}$ (B) $4-2\sqrt{3}$ (C) $4-9\sqrt{3}$ (D) $28-16\sqrt{3}$

- (E) NOTA
- 35. When the variables represent certain parts of a triangle, the equation ana + bmb = tct + mcnis known as **Stewart's Theorem**. Solve this formula for c.
 - (A) $\frac{a^2n + b^2m t^2}{mn}$
- (B) $\frac{a^2n b^2m}{t^2 mn}$

(C) $\frac{a^2n + b^2m}{t^2 + mn}$

- (D) $\frac{a^2n + b^2m mn}{t^2}$
- (E) NOTA
- 36. Let f(x) = 6x 7. There is a function g(x) such that f(g(x)) = x. What is g(x)?

- (A) $\frac{x}{7} 6$ (B) $\frac{x}{7} \frac{6}{7}$ (C) $\frac{x}{6} + 6$ (D) $\frac{x}{6} + \frac{7}{6}$ (E) NOTA
- 37. The perimeter of a regular hexagon is $54\sqrt{3}$. What is its area?

- (A) $243\sqrt{3}$ (B) $\frac{729\sqrt{3}}{2}$ (C) $324\sqrt{3}$ (D) $\frac{243\sqrt{3}}{4}$ (E) NOTA
- 38. Suppose that x, y, and z are positive integers that add up to 284. If x < 74 and $152 \ge y$, what is the minimum value of z?
 - (A) 57
- (B) 58
- (C) 59
- (D) 60
- (E) NOTA

39.	39. If $f(x) = 2x^2 - 6x$ and $g(y) = 2y + 9$, find the value of $f(3 + g(2))$.						
	(A) 416	(B) 260	(C) 13	(D) 169	(E) NOTA		
40.	If the lines $4ax + 6$	6by = 7 and 9x + 3	y - 1 = 0 intersect a	at right angles, find	$1 \frac{a^2}{b^2}$.		
	(A) $\frac{1}{4}$	(B) 4	(C) 16	(D) $\frac{1}{16}$	(E) NOTA		
41.	minutes, while JJ	_			d lawn in sixty ny minutes would it		
	(A) 20 minutes	(B) 24 minutes	(C) 25 minutes	(D) 30 minutes	(E) NOTA		
42.		n exterior angle of his polygon have?	a regular polygon v	with $2x + 6$ sides is	x degrees. How		
	(A) 9	(B) 12	(C) 15	(D) 18	(E) NOTA		
43.	43. Given that $f(x, y) = ax + by$, evaluate $f\left(\frac{de - bf}{ad - bc}, \frac{af - ce}{ad - bc}\right)$.						
	(A) <i>a</i>	(B) <i>b</i>	(C) c	(D) <i>d</i>	(E) NOTA		
44.	Evaluate: $\sum_{n=1}^{12^2} n$						
	(A) 5184	(B) 10440	(C) 4176	(D) 650	(E) NOTA		
45. What is the area of a triangle with sides 10, 15, and 10?							
	$(A) \frac{15\sqrt{11}}{2}$	$(B) \frac{75\sqrt{7}}{4}$	$(C) \frac{30\sqrt{5}}{2}$	(D) 50	(E) NOTA		

46. Fishbowl A contains four red fish and two blue fish. Fishbowl B contains one red fish and two blue fish. A fish is selected at random from Fishbowl A and transferred to Fishbowl B. What is the probability that a fish then randomly selected from Fishbowl B will be blue?

47. Given a triangle ABC , a line l is drawn parallel to BC and passing through A . If B and C remain fixed, and A moves along l , which of the following features of $\triangle ABC$ remains constant? (A) perimeter, but not side lengths (B) area (C) side lengths (D) angle measures (E) NOTA 48. Determine the sum of an infinite geometric series with first term 12 and common ratio $\frac{5}{6}$. (A) 24 (B) 36 (C) 60 (D) 72 (E) NOTA 49. In right triangle ABC , $AC = 6$, $CB = 8$, and \overline{CD} bisects right angle C , where D lies on \overline{AB} . Find the length of \overline{AD} . (A) $\frac{24}{5}$ (B) $10 - 4\sqrt{2}$ (C) 5 (D) $\frac{30}{7}$ (E) NOTA 50. The harmonic mean of a set of numbers is defined as the reciprocal of the arithmetic mean of the reciprocals of the numbers. If the harmonic mean of x and y is $\frac{1}{2}$ while the harmonic mean of x and x is x while the harmonic mean of x and x is x while the harmonic mean of x and x is x while the harmonic mean of x and x is x while the harmonic mean of x and x is x while the harmonic mean of x and x is x while the harmonic mean of x and x is x while the harmonic mean of x and x is x while the harmonic mean of x and x is x while the harmonic mean of x and x is x while the harmonic mean of x and x is x while the harmonic mean of x and x is x .		(A) $\frac{1}{2}$	3/4	(B) $\frac{7}{12}$	(C) $\frac{5}{8}$	(D) $\frac{2}{3}$	(E) NOTA	
(C) side lengths (D) angle measures (E) NOTA 48. Determine the sum of an infinite geometric series with first term 12 and common ratio $\frac{5}{6}$. (A) 24 (B) 36 (C) 60 (D) 72 (E) NOTA 49. In right triangle ABC , $AC = 6$, $CB = 8$, and \overline{CD} bisects right angle C , where D lies on \overline{AB} . Find the length of \overline{AD} . (A) $\frac{24}{5}$ (B) $10 - 4\sqrt{2}$ (C) 5 (D) $\frac{30}{7}$ (E) NOTA 50. The harmonic mean of a set of numbers is defined as the reciprocal of the arithmetic mean of the reciprocals of the numbers. If the harmonic mean of x and y is $\frac{1}{2}$ while the harmonic mean of x and y is x and	47.	remain fixed, and A moves along l , which of the following features of $\triangle ABC$ remains						
(A) 24 (B) 36 (C) 60 (D) 72 (E) NOTA 49. In right triangle ABC , $AC = 6$, $CB = 8$, and \overline{CD} bisects right angle C , where D lies on \overline{AB} . Find the length of \overline{AD} . (A) $\frac{24}{5}$ (B) $10 - 4\sqrt{2}$ (C) 5 (D) $\frac{30}{7}$ (E) NOTA 50. The harmonic mean of a set of numbers is defined as the reciprocal of the arithmetic mean of the reciprocals of the numbers. If the harmonic mean of x and y is $\frac{1}{2}$ while the harmonic mean of x and y is y .				t not side lengths	` '	res	(E) NOTA	
 49. In right triangle ABC, AC = 6, CB = 8, and CD bisects right angle C, where D lies on AB. Find the length of AD. (A) 24/5 (B) 10-4√2 (C) 5 (D) 30/7 (E) NOTA 50. The harmonic mean of a set of numbers is defined as the reciprocal of the arithmetic mean of the reciprocals of the numbers. If the harmonic mean of x and y is 1/2 while the harmonic mean of 3x and 5y is 2, find the product xy. 	48.	Deter	mine the sun	n of an infinite geo	metric series with	first term 12 and co	per	
Find the length of \overline{AD} . (A) $\frac{24}{5}$ (B) $10-4\sqrt{2}$ (C) 5 (D) $\frac{30}{7}$ (E) NOTA 50. The harmonic mean of a set of numbers is defined as the reciprocal of the arithmetic mean of the reciprocals of the numbers. If the harmonic mean of x and y is $\frac{1}{2}$ while the harmonic mean of $3x$ and $5y$ is 2, find the product xy .		(A) 2	4	(B) 36	(C) 60	(D) 72	(E) NOTA	
50. The harmonic mean of a set of numbers is defined as the reciprocal of the arithmetic mean of the reciprocals of the numbers. If the harmonic mean of x and y is $\frac{1}{2}$ while the harmonic mean of $3x$ and $5y$ is 2, find the product xy .	49.							
of the reciprocals of the numbers. If the harmonic mean of x and y is $\frac{1}{2}$ while the harmonic mean of $3x$ and $5y$ is 2, find the product xy .		(A) -	24 5	(B) $10-4\sqrt{2}$	(C) 5	(D) $\frac{30}{7}$	(E) NOTA	
mean of $3x$ and $5y$ is 2, find the product xy .	50.	The h	armonic me	an of a set of num	bers is defined as t	the reciprocal of the	e arithmetic mean	
		of the	reciprocals	of the numbers. If	the harmonic mea	n of x and y is $\frac{1}{2}$ w	hile the harmonic	
(A) $\frac{1}{3}$ (B) 4 (C) $\frac{1}{6}$ (D) 3 (E) NOTA		mean of $3x$ and $5y$ is 2, find the product xy .						
		(A) $\frac{1}{3}$	1/3	(B) 4	(C) $\frac{1}{6}$	(D) 3	(E) NOTA	